TECHPOWERING THE WORLD



UniPOS A5

An Omni-channel Payment Solution





MULTIPLE BIOMETRIC AUTHENTICATION (Fingerprint, Iris, Facial, Voice)



RUGGED & ERGONOMIC DESIGN

FinTech

UniPOS A5

An Omni-channel Payment Solution

Evolute UniPOS A5 is India's first certified POS terminal with multiple biometric authentication & card acceptance capabilities for both contact and contactless payments. With our Research & Development facility certified by the Department of Scientific & Industrial Research, India, Evolute UniPOS A5 is made to Techpower the users with smart technologies to digitize businesses & create equal opportunities of growth across the world.







5.5inch capacitive touch screen LCD



Fingerprint, Iris, Facial & Voice recognition capable



2" Multi-language, logo & sticker supported thermal printer



Independent charging & communication ports, Type C fast charging



7800 mAH battery capacity



Memory Option 1GB/2GB + 8GB/16GB memory, micro SD extendable up to 64GB

TECHNICAL SPECIFICATIONS

	TECHNICAL SPECIFICATIONS	
	СРИ	Processor : MSM8909, quad core 1.4 GHZ Security CPU : ARM cortex M3
	os	Android 7 and above
	DISPLAY	5.5 inches LCD with capacitive touch screen Pixel 1280x720
	COMMUNICATION	Ports : MicroUSB & Serial port Bluetooth : 4.0 and above WiFi : 2.4 GHz support 802.11 a/b/g/n Dual SIM support for: 2G : GSM/EDGE850/900/1800/1900 3G : WCDMA 850/900/1800/2100 4G : FDD band 1, 3, 7 TDD band 38/39/40/41
	AUDIO	Speaker support Encryption sound waves verification support Sound waves to pay (MIC)
	SCANNERS	Fingerprint Scanner : STQC certified optical or capacitive technology sensor supports ISO Sc37 19794-2/4 or ANSI/ NCITS 378 template formats, 500 dpi resolution FAP 10/20/30/50/60 (4-4-2) optional IRIS scanner camera : STQC certified RD capable Facial & voice recognition Barcode scanner
	SECURITY	Support DES/3DES/AES Support RSA (1024,2048 bits key length) ECC (192.256.521 bots key length) DUKPT, master key/session key
	CARD READERS	Magnetic card reader : AES encrypted three track 1/2/3, bi-directional reader Smart card reader : ISO 7816 compliant, EMV L1 and L2 certified secured contact reader SAM : ISO 7816 dual SAM interface Contactless card reader : ISO 14443 compliant, EMV L1 and L2 approved secured contactless reader
	PHYSICAL PROPERTIES	Dimensions: 197 (L) x 79.8 (W) x 68.2 (H) mm Weight: 480g (with battery & paper) 350g (without battery & paper)
	SOFTWARE DEVELOPMENT KIT	EMV/PCI compliant android SDK provided for android based POS terminals & registered device service for biometrics

CERTIFICATIONS

hand belt, extra battery





ACCESSORIES (OPTIONAL)





Docking station, QR cradle, MRZ OCR reader, carry pouch,






















OTHER INNOVATIVE SOLUTIONS FROM EVOLUTE IN THE FIELDS OF



evolute TECHPOWERING THE WORLD

4th Floor, Vasundhara Building, S.V Road, Vile Parle (West), Mumbai - 400 056







